

JP 56079613

3/3,AB,LS/1

DIALOG(R) File 351:Derwent WPI

(c) 2004 Thomson Derwent. All rts. reserv.

003199100

WPI Acc No: 1981-59652D/ 198133

Foamed cosmetic prodn. - by introducing gas into mixt. of plasticiser  
contg. high melting wax and polar oil, and wetting agent

Patent Assignee: SHISEIDO CO LTD (SHIS )

Number of Countries: 001 Number of Patents: 002

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
JP 56079613	A	19810630	JP 79155138	A	19791130	198133 B
JP 88023962	B	19880518				198823

Priority Applications (No Type Date): JP 79155138 A 19791130

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
JP 56079613	A		4		

Abstract (Basic): JP 56079613 A

Plasticiser consisting of high melting wax and polar oil component and wetting agent are subjected to over-run with gas in 5 to 60% to give foamed cosmetics. The wax includes natural wax, etc. and amount to be used is 5 to 20%. The polar oil use includes castor oil, glycerol-tri-2-ethyl hexanoate, 2-heptyl undecanic acid monoglyceride, polyoxypropylenepolyoxyethylene pentaerythritol ether, etc. Foaming is conducted with the use of 5-80, pref. (20-50)% of gas.

In an example, 5.0% wax, castor oil (83.89%) and 1.0% of colourant agent was dissolved homogeneously by heating at 70 deg.C. The mixt. was cooled to 50 C and then 10% of glycerin, 0.1% perfume and 0.01% of antioxidant were added, and nitrogen gas was introduced with agitation.

?